SMIIT CONSTECH







CERTIFIED ISO 9001:2015 COMPANY

MANUFACTURER
IMPORTER - EXPORTER & SUPPLIER
OF CONSTRUCTION MACHINERY

Authorised Dealer

WACKER NEUSON
all it takes!

EURO SHATAL
Simply built stronger

Our Subsidiary MIRAI CONSTECH

+91 93275-56036
+91 95120-61506

smiitconstech.com

smitcorp

smiit.constech



SMIIT CONSTECH

INTRODUCTION

Established in 2018, **Smit Corporation** now known as **Smiit Constech** has become a trusted name in the construction machinery industry. We are known for our constant commitment to quality, innovation, and client satisfaction.

We manufacture high performance and reliable machinery in India. Our range of products includes Indian Bar Bending Machines, Bar Cutting Machines, Tower Crane Concrete Buckets, Concrete Mixers & Concrete Vibrators, Suspended Rope Platforms, etc. all of which are designed to meet the highest standards of durability, safety and efficiency. We are also an authorised dealer of Wacker Neuson & Euro Shatal Equipment in South Gujarat. Smiit Constech's construction machinery has gained the trust of exclusive customers and has been used in many renowned projects in India, by our prestigious clients.

What differentiates us is our outstanding design & service team. With an extensive inventory and professional service staff, we guarantee rapid delivery, expert guidance, and unmatched after sales service & spares support. This commitment to excellence reduces downtime and increases productivity for our clients.

At **Smiit Constech**, we combine trust and reliability to provide cutting-edge solutions that benefit the construction industry. Partner with us for the sustainable and reliable machinery requirements.

Since 2024 we are exporting our High Quality & Durable machines to more than 5 countries.

SALE | RENTAL | EXPORT | REFURBISH | SERVICE





INDEX

- **TMT REBAR PROCESSING MACHINE**
  - ➤ INDIAN BAR BENDING & CUTTING MACHINES 1
  - ➤ STIRRUP RING MAKING & SPIRAL TMT RING MAHINES 2
  - ➤ IMPORTED BAR BENDING, CUTTING MACHINES & CHOP SAW FOR ALL TYPE BAR & BINDING WIRE CUTTING 3
  - ➤ DECOILING, FULLY AUTOMATIC STIRRUP MACHINES & TMT BAR COLD FORGING & THREADING MACHINE 4
  - ➤ TMT SCRAP BAR STRAIGHTENING MACHINE & SPARE 5
- **ANTI SMOG GUN**
  - ➤ ANTI POLLUTION MACHINE 5
- **SOIL COMPACTORS**
  - ➤ RAMMERS, PLATE COMPACTORS, ROLLERS, ETC 6
- **LIFTS & HOIST**
  - ➤MULTI FUNCTION TOWER HOIST/ MATERIAL HOIST 7
  - MONKEY HOISTS, PM HOIST, SUSPENDED ROPE PLATFORM, SINGLE PERSON SUSPENDED CHAIR 8
  - TOWER CRANE BUCKETS, ETC 9
- **CONCRETE TOOLS**
  - ➤ CONCRETE VIBRATORS, NEEDLES, CONCRETE MIXERS..... 10
- **FLOORING MACHINES & TOOLS**
  - ➤ VDF, FLOATER, GROOVE CUTTER BULL FLOAT, TEXTURE BRUSH, ETC 11
- **WACKER NEUSON EQUIPMENT**
  - ➤ HMS, IREN & IRFU HIGH FREQUENCY VIBRATORS 12
  - ➤ SHUTTER VIBRATORS & FREQUENCY CONVERTORS 13
  - ➤ RAMMERS, WALK BEHIND ROLLER & PLATE COMPACTORS..... 14
- **EURO SHATAL EQUIPMENT**
  - ➤ ASPHALT OR CONCRETE ROAD SAWS, PLARE COMPACTORS & CONCRETE VIBRATORS & NEEDLES 15

TMT REBAR PROCESSING MACHINE

BAR BENDING MACHINE (INDIAN SERIES)

Planetary Gearbox



MODEL NO.	SM TW42	SM TW45 (42 PRO)	SM TW52	SM TW55
CAPACITY	Upto 32 mm Ø	Upto 32 mm Ø	Upto 36 mm Ø	Upto 40 mm Ø
DISC SIZE	320 mm	350 mm	390 mm	480mm
BUSH SUPPLIED (OD) Can be customised upto	55, 70 & 90 mm Upto 110 mm	55, 70 & 90, 120 mm Upto 135 mm	55, 70, 90 & 120 mm Upto 160 mm	55, 70, 90, 120, 160 & 220 mm Upto 260 mm
BUSH Ø as per IS Code (≈)*	4D of 25 mm 3D of 32 mm	5D of 25 mm 4D of 32 mm	6D of 25 mm 5D of 32 mm	7D of 32 mm 6D of 40 mm
MOTOR POWER	5 HP, 415 V, 1440 RPM	5 HP, 415 V, 1440 RPM	5 HP, 415 V, 1440 RPM	7.5 HP, 415 V, 1440 RPM
DISC ROTATION RPM	9	9	9	6
MACHINE SIZE (LxBxH) inch	24 x 32 x 35	26 x 34 x 37	28 x 36 x 39	30 x 39 x 43
GEAR BOX TYPE & BRAND	**Top Branded - Planetary Type (Zero Maintenance) & 1.5 Year Replacement Guarantee**			
PANEL BRAND	Branded Contactors, With GIC make VPR System, Giovenzana make Padel, Telemechanique Limit Switches & Teknik make socket. PLC (Optional for added safety)			
WEIGHT (Kgs.)	315 kgs	330 kgs	350 kgs	620 kgs

OIL / GREASE FREE GEARBOX, ZERO MAINTENANCE, SILENT & SAFEST MACHINE.,
CUSTOMIZED AS PER CIVIL ENGINEERING I.S. CODES. 100% ALL PARTS PROUDLY MADE IN INDIA.
RUGGED AND HARDEST MATERIAL USED IN DISC, SADDLES & PIN BUSH.
CAN BE CUSTOMIZED FOR 8D MANDREL USAGE & SPECIALLY FOR U BOLT & J BOLTS MANUFACTURING.

BAR CUTTING MACHINE (INDIAN SERIES)

Single & Two Stage Gearbox



MODEL	SBC 42	SBC 52	SBC 55
CAPACITY	Upto 32 mm Ø	Upto 36 mm Ø	Upto 40 mm Ø
BLADE TYPE	RECTANGLE (4 SIDES USABLE)		
MOTOR POWER	5 HP, 415 V, 2880 RPM	5 HP, 415 V, 2880 RPM	7.5 HP, 415 V, 2880 RPM
GEAR BOX	Single Stage	Two Stage	Two Stage
STROKES / MIN	42 Strokes	39 Strokes	34 Strokes
STARTER BRAND & TYPE	PANEL TYPE STARTER - our own customised		
BLADE SIZE (MM)	78x58x24	85x58x28	85x55x32*
WEIGHT (Kgs.)	450	520	620



PANEL TYPE STARTER WITH VPR / SPP & VOLTAGE INDICATOR, WITH 5 PIN POWER SOCKET. **NO OIL DRIPPING FROM BLADE.**
MOTOR & STARTER PROPERLY COVERED FROM WATER. FAST STROKES OF CUTTING & ROBUST MACHINE.

BAR CUTTING MACHINE PREMIUM HYBRID SERIES



MODEL	SM - GQ40	SM - GQ42D	SM - GQ50
TMT CAPACITY	6 TO 32 mm Ø	6 TO 36 mm Ø	6 TO 40 mm Ø
MOTOR POWER	5 HP, 2800 RPM, 415 V (Indian)	5 HP, 2800 RPM, 415 V (Indian)	7.5 HP, 2800 RPM, 415 V (Indian)
BLADE TYPE	SQUARE (All 8 Sides Usable)		
GEARBOX TYPE	3 Stage Type	2 Stage Type	3 Stage Type
STARTER BRAND & TYPE	Siemens Make - DOL Starter		
BLADE	28 Strokes	30 Strokes	25 Strokes
WEIGHT	420 Kgs.	510 Kgs.	550 Kgs.
SIZE OF MACHINE (LxBxH) Inch	51 x 21 x 27	42 x 20 x 35	54 x 22 x 28

INDIAN BRANDED ISI make motor, Havells / Siemens DOL Starter. Oil should keep Dripping from moving blade.
HEAVIEST QUALITY MATERIAL WORM GEARS.

STIRRUP RING MAKING MACHINES (90° & 135°)



MODEL	GF20 LIMIT	GF20 DIGITAL
CAPACITY	Heavy - 16 mm Eco - 12 mm	Heavy - 16 mm Eco - 12 mm
MOTOR	3 PH - 415 V	
PADELS	2 NOS. (90 & 135 or 45 degrees only)	
WEIGHT	Heavy - 115 Kgs. Eco - 98 Kgs.	Heavy - 115 Kgs. Eco- 98 Kgs.



BENDS ONLY 90 & 135 OR 45 DEGREE.
ONLY FOR TMT STIRRUPS RINGS OR "L"



MODEL	GF 26	GF 32	GF 36
TMT CAPACITY	Upto 20 mm Ø	Upto 25 mm Ø	Upto 32 mm Ø
MOTOR POWER	3 PHASE - 415 VOLTS 4.02 HP	3 PHASE - 415 VOLTS 4.50 HP	3 PHASE - 415 VOLTS 4.75 HP
PADELS	2 NOS. (90 & 135 or 45 degrees only)		
WEIGHT	150 Kgs.	205 Kgs.	250 Kgs.

SPIRAL TMT RING MACHINE (FOR PIERS & PILES)



MODEL	OWH-32	OWH-25
TMT CAPACITY	16 TO 32 MM Ø	16 TO 25 MM Ø
MOTOR POWER	5 HP, 1440 RPM, 415 V	5 HP, 1440 RPM, 415 V
BENDING SPEED	12 RPM	12 RPM
WEIGHT	330 Kgs.	280 Kgs.
MINI. BENDING DIA.	Ø 200 mm	Ø 250 mm

BAR BENDING MACHINES (IMPORTED SERIES)



MODEL	GW42 A (Heavy)	GW42 J (Eco)	GW50
CAPACITY	Up to 32 mm Ø	Up to 32 mm Ø	Upto 40 mm Ø
MOTOR POWER	5 HP, 415 V, 1440 RPM	5 HP, 415 V, 1440 RPM	5 HP, 415 V, 1440 RPM
DISC RPM	10-12 RPM	10-12 RPM	8-10 RPM
BEND WHEEL DIA	360 mm	360 mm	400 mm
WEIGHT (Kgs.)	350	325	450

BRAKE MOTOR AND BELT SYSTEM

Simple Panel of 2 Contactor System. With Break Motor. Oil/Grease required. Belt type gearbox Machine.

BAR CUTTING MACHINE (IMPORTED SERIES)


MODEL	GQ40	GQ50
TMT CAPACITY	6 TO 32 mm Ø	6 TO 40 mm Ø
MOTOR POWER	5 HP, 2880 RPM, 415 V	7.5 HP, 2880 RPM, 415 V
POWER ON / OFF	MCB / DOL Starter	
GEARBOX	3 Stage Helical Gearbox	
STROKES OF CUTTING	28 Times/min	34 Times/min
BLADE	Square Blade all 8 Sides Usable	
WEIGHT (Kgs.)	400	515




IMPORTED motor, Indian Starter, Oil should keep Dripping from Blade.
IMPORTED copper winding motor.

CHOP SAW MACHINES (MOTOR)


CHOP SAW FOR ALL TYPES OF BAR & BINDING WIRE CUTTING







MODEL	TMC 355-3	405-4 LD	405 HD
CAPACITY	Upto 28 mm Ø	Upto 32 mm Ø	Upto 36 mm Ø
MOTOR POWER	3 HP, 415 V, 3500 RPM	4 HP, 415 V, 3500 RPM	5 HP, 415 V, 3500 RPM
BLADE SIZE	14 INCH	16 INCH	16 INCH
WEIGHT (Kgs.)	67	75	87



AAC / CONCRETE BLOCK / REFRACTORY BRICK CUTTING SAW


FULLY AUTOMATIC CNC STIRRUP RING MAKING MACHINE

MODEL	SMIT D4	SMIT D2
CAPACITY (TMT COIL)	6 TO 12 mm TMT COIL (550D)	6 TO 10 mm TMT COIL (550D)
SINGLE WIRE DOUBLE WIRE	12 mm 6 TO 10 mm	10 mm 6 TO 8 mm
SPEED	2800 Rings/hr*	2000 Rings/hr*
SPECIALITY	INFRA PROJECTS	STIRRUPS RESELLERS
DIRECTION	Bi Directional	Single Directional
MOTOR CAP.	38.75 kW	15.5 kW
PAY OFF	2-2.5 Tonne (Air Brake type)	1-1.5 Tonne (Regular type)
WEIGHT	3500 Kgs.	2500 Kgs.



TMT BAR DECOILING MACHINE

MODEL	GTQ 6-14	GTQ 6-10
TMT COIL CAPACITY	6 TO 12 mm Ø	6 TO 8 mm Ø
MOTOR POWER	16.5 kW	7.5 kW
STRAIGHTENING SPEED	40- 50 mtr/min	34- 40 mtr/min
PRE STRAIGHTENING WHEELS	8 wheels	N/A
CUTTING SPACE	900 mm	900 mm
WEIGHT	1180 Kgs.	550 Kgs.



TMT Coils Straightening & Cutting Machine with & without Payoff, with panel.
Heavy Duty & Sturdy Machine.

TMT BAR COLD FORGING & THREADING MACHINE




TMT Cold Forging Machine
to upset TMT Bar before Threading
Up to 40 mm TMT Bar Capacity

TMT Bar Thread Chasing Machine
(Latthe type)
Up to 40 mm TMT Bar





TMT Bar Thread Rolling Machine
upto 40 mm TMT Bar
16-20 - 2.0 mm pitch
25-32 - 2.5 mm pitch
36-40 - 3.0 mm pitch
Limit / Sensor Type
Eco / Heavy Model



TMT SCRAP BAR STRAIGHTENING MACHINE



MODEL	GX 6-12	GX 16-25	GX 10-25
TMT DIA	6 TO 12 MM Ø	16 TO 25 MM Ø	10 TO 25 MM Ø
CUTTER	Attached	N/A	upto 12 mm
MOTOR POWER	5 HP + 2.5 HP	10 HP	22 HP
WEIGHT	750 Kgs.	950 Kgs.	1150 Kgs.

SPARE PARTS

All types of Pin Bush Sets For Bar Bending Machine



All kinds of Limit Switches



All Types of Foot Padels & Sockets



Blades for Cutting Machines All Models & All Makes



Threading M/c Rollers, Chasers, & Blades




Rebar Jointing Couplers



Load Cell for SRP



ANTI POLLUTION



Anti Smog Gun
Electric
Trolley / Truck Mounted
Throw upto 35 mtrs
Water Tank - 1000 to 1500 ltrs.
Tilting Angle- 12 - 55 Degree
Horiz. Rotation - 350 Degree

SOIL COMPACTORS




Imported Rammer
(Jumping Jack)
Honda Petrol Engine
or
Electric Motor



Walk Behind Double Drum Roller
(IMPORTED)
20 to 25 kN Compaction with Vibro
with 10 HP Diesel Greaves Make Engine
Self Start + Hour Meter
Engine Guard & Water Tank
FOR SOIL COMPACTION ONLY



Single Drum Walk Behind Roller
with Petrol
or
Diesel Engine



AVC20 - Imported Forward only
Plate Compactor with
Honda Petrol Engine
20-25 kN **(Tonne)**



AVC50 Imported
Reversible Plate Compactor
with Greaves Diesel Engine
40-50 kN (tonne)



AVC40 Indian Forward Only
Plate Compactor
Diesel or Electric
40-50 kN




Indian Plate Compactor
Mini - For paver block
15 - 20 kN



PCM330 REVERSIBLE PLATE
WITH HONDA Gx390 (13 HP)
PETROL ENGINE
60 kN CAPACITY




Ride on Double Drum Roller
for Soil Compaction only



MULTI-FUNCTIONAL TOWER HOIST / MATERIAL HOIST

MODEL NO.	SM TRHS10	SM TRHS15	SM TRPHS10	SM TRPHS15
Type	WIRE ROPE TYPE		RACK & PINION TYPE	
Gross Load / Net Load	1200 / 750 kgs.	1500 / 1000 kgs	1200 / 750 kgs.	1500 / 1000 kgs
Wire Rope | Rack & Pinion	12mm (6x36)	12mm (6x36)	5 Module	5 Module
Height (upto)	135 Mtr.	135Mtr.	145 Mtr.	145 Mtr.
Motor Capacity	10HP (7.5 KW)	12.5HP (9.3KW)	6.9 KW (7.5 KW - VFD)	9.5 KW (11 KW - VFD)
Mast (Tower) Size (m.m.)	500 x 400 x 1500 mm & Angle of 50 x 50 x 6 mm			
Rectangle Bucket Size (m.m.)	1200 x 800 x 610	1400 x 1000 x 500	1200 x 800 x 610	1400 x 1000 x 500



PM Hoist Men & Material Hoist

1, 1.5 & 2 Tonne Capacity
Single & Twin Cage.
upto 175 mtr. Height

Traditional H-Frame Type Tower Hoist

Electric or Diesel Engine
Chain or Belt Type



MONKEY LIFT (INDIAN SERIES)





MODEL NO.	SM ML250	SM ML350	SM ML550	SM ML550 PRO	SM RGMH 50
Gross Load	250 kg	350 kg	550 kg	550 kg	500 kg
Height	30 Mtr.	30 Mtr. | 40 Mtr.	40 Mtr. | 100 Mtr.	40 Mtr. | 100 Mtr.	50 Mtr
Wire Rope	8 mm (6x36)	8 mm (6x36)	8mm (6x36)	8 mm (6x36)	10mm (6x36)
Gear Box Type	Helical Gear Box	Helical Gear Box	Worm Gear Box	Helical Bevel	Worm Gear Box
Motor Capacity	1 HP	2 HP	5 HP	5 HP	7.5 HP BREAK MOTOR



Facade or Glass Lifter Hoist
1000 & 1500 kgs. Capacity
3 Phase - 5 & 7.5 HP
upto 85 mtr height



Basket Type Material Hoist
500 kgs. net capacity
3 Phase - 5 HP
upto 50 mtr height



IMPORTED Monkey Hoist
150-250 Kgs capacity
Single Phase

CRADLE OR GONDOLA (RSP)



Suspended Rope Platform
ZLP-800 & ZLP-1000
Upto 7.5 mtr width & 150 mtr length
Anti-Tilt, Load Cell, Cable Protector,



SINGLE PERSON SUSPENDED CHAIR
ZLP-250 - 1.5 KW - SINGLE / THREE PHASE
100 MTR LENGTH
PARAPET MOUNTING OR TERRACE PIPES

TOWER CRANE BUCKETS



Old Design Concrete Buckets (0.5, 0.75 & 1.0 cu.mtr cap.)



Rear Handle Discharge

BB30 / BB50 / BB75
Banana Type Bucket
Wire Rope & D Shackle Lifting
0.3 cu. mtr to 0.75 cu. mtr

Rack & Pinion Discharge

Down Pour / Flexible Hose Side Pour with Chhute


CB50 / CB75 / CB100
Conical Shape Bucket
Wire Rope & D Shackle Lifting
0.5 cu. mtr to 1.0 cu. mtr

Laydown Bucket

1.0 cu.mtr
to
3.0 cu. mtr



Passenger / Material / Evacuation
Lifting Bucket (Customized)




INDIAN STIRRUP BENDER MACHINE
6 TO 16 mm TMT
SM TW16W & SMTW16WP

CONCRETE TOOLS



Works With:
35 & 50 mm x 3 mtr needle

Handy HIGH SPEED Concrete Vibrator
1000 Watt / 2000 W / 2500 W
3200 / 3800 / 4000 RPM



All Types of Needles
35 mm, 40 mm, 45 mm, 50 mm & 65 mm
1.5 mtr to 6 mtrs length



Electric Motor Type Concrete Vibrator
1 HP, 2 HP & 3 HP | 1 or 3 Phase



Petrol Concrete Vibrator
Husqvarna or Honda



Diesel Concrete Vibrator
Greaves - 5 HP



Hand Held Surface Concrete Vibrator



Fix Speed Shutter Vibrator
Nut Bolt Type - Aluminium Body
0.5, 1, 2 & 3 HP - Single & 3 Phase




Concrete Mixer
1/2 or 2/3 Bags
Electric / Diesel




Mini Mixers
For Mortar / Chemical / Putty Mixing
180, 220, 300, 360 Ltrs Capacity



Concrete Fixed Form Road Paver
Up To 7.5 mtr Length with Needle Vibrator & Auger




Bull Float



PQC Texture Brush
Regular / Airport (Broom) Type




Road Groove Cutter Indian & Imported
Electric, Diesel & Petrol - upto 9" Depth Cutting



Power Trowel Floater
Indian & Imported
Electric & Petrol



Ride on Trowel Floater



Laser Screed Machine for Flooring



VDF Flooring Machine



Screed Vibrators
Truss Screed | WB Screed | Double Beam Screed



Concrete Finisher

CONCRETE VIBRATORS


1. HMS VIBRATOR (MECHANICAL CHAIN TYPE)

HEAD + MOTOR + SHAFT



MOTOR (220 V - INPUT)

+



SHAFT

+



HEAD OF NEEDLE

MODEL	MOTOR	SHAFT	HEAD Ø
HMS SET 525	M 2500 (2.5 HP)	SM5S (5 mtr Long)	H55 (55 mm Ø).
HMS SET 425	M2500	SM5S	H 45
HMS SET 325	M2500	SM5S	H 35
OTHER VARIANT		SM4E (4 mtr Long)	H 25
		SM2S (2 mtr Long)	H 65

2. HIGH FREQUENCY NEEDLE (MOTOR IN-HEAD NEEDLES)



IRFU / IEC (Valueline)

(In-Built High Frequency Needle, DIRECT PLUG IN)

Models as per Ø - IRFU30, IRFU38, IRFU45, IRFU58, IRFU65

Hose Length: 5, 8*, 10 mtr.

Power Cable Length : 15 Mtr. cable

RPM : 12000

Input V. : 220 - 240 (Single Phase)

IREN / IE (Valueline)

(Requires an FREQUENCY CONVERTOR)

Models as per Ø - IREN30, IREN38, IREN45, IREN58, IREN65

Hose Length: 5 TO 16* mtr.


Power Cable Length : 15 Mtr. cable

RPM : 12000

Input V. : 42 volts



3. SHUTTER VIBRATOR (External Concrete Vibrator)



MODEL	AR 52	AR 26
RPM	Upto 6000	3000 - AR26/3/042 6000 - AR26/6/042
Centrifugal Force	8.22 to 14.23 kN	2.17 to 3.47 kN
Input V.	42 V	42 V
Best Used For	Bridges, Metro Piers, Segments, Girders, Precast Plants	Buildings, Woodens Formwork, Mivan Formwork
Clamp	Special I Bolt Clamp (Included)	Bolting / Clamps (Extra)

4. FREQUENCY COVERTOR



MODEL	FUH 20	FUH 35	FUH 70/4	FUH 70/6	FUE M/S 75A FRP
INPUT / PHASE	SINGLE PHASE - 220 V				3 PHASE - 420 V
OUTPUT	42 V				
OUTLET SOCKETS	1 (SINGLE)	2 (TWO) IREN60 X 2	4 (FOUR) IREN60 X 4	6 (SIX)	4 (FOUR) IREN60 X 6
CABLE	1.5 mtr				2.5 mtr
WEIGHT	8.9 Kgs.	18 Kgs.	28 Kgs.	38 Kgs.	26 Kgs.
INPUT / OUTPUT CURRENT (A)	7.8 / 20	9.5 / 35	16 / 58	16 / 58	13 / 75
MECHANICAL / ELECTRONIC	ELECTRONIC FREQUENCY CONVERTOR				
BEST SUITABLE FOR	HIGH FREQUENCY NEEDLES (IREN / IE) - (FUH70/6 - FOR AR26 Shutter Vibrator)				

MODEL	FUE - M/S 85A - FRP - SC
INPUT / PHASE	3 PHASE - 420 V
OUTPUT	42 V
OUTLET SOCKETS	4 (FOUR) With Speed Controller & Individual Protection Switches
CABLE	2.5 mtr
WEIGHT	41 Kgs.
INPUT / OUTPUT CURRENT (A)	13.7 / 85
MECHANICAL / ELECTRONIC	ELECTRONIC FREQUENCY CONVERTOR
BEST SUITABLE FOR	AR52 Shutter Vibrators with adjustable Freuquency





Wacker Neuson Tamping Rammer

MODEL	BS 60-2 Plus	DS-70
FUEL	PETROL	DIESEL
SELF WT.	66	83
Impact Force (kN)	18	21
Shoe Size (mm)	280x340	330x340



Wacker Neuson Walk Behind Roller

MODEL	RD7 Keh
FUEL	DIESEL
ENGINE	KOHLER
COMPACTION	2.4 kN
DRUM SIZE (WXD)	650 X 400 (mm)
SELF WT.	784 kg.
FUEL TANK (L)	5 LTRS.
WATER TANK (L)	60 LTRS.
HYD. OIL TANK	1.5 LTRS.

- 2 Speed Control
- Soil & Asphalt
- 1.37 & 2.4 kN
- Electric Start
- Hydrostatic
- Hour Meter
- Automatic Brake
- Long Draw Bar
- Made in India
- Reverse Stop Safety feature



Wacker Neuson Make Plate Compactors

MODEL	BPS 2050GW	DPU 2550	DPU 3070	DPU 4545
MOVEMENT	**FORWARD ONLY**	REVERSIBLE	REVERSIBLE	REVERSIBLE
ENGINE BRAND & FUEL	LINCOLIN - **PETROL**	HATZ - **DIESEL**	HATZ - **DIESEL**	HATZ OR YANMAR **DIESEL** ENGINE
SELF WEIGHT (Kg.)	87 Kgs.	160 Kgs.	190 Kgs.	398 Kgs.
CENTRIFUGAL FORCE (kN)	20	25	30	45
PLATE SIZE (WIDTH) m.m.	500	500	700	600
PLATE THICKNESS (m.m)	10	10	10	12
START TYPE	ROPE START	ROPE START	ROPE START	**SELF START**
OTHER VARIANTS	**BPS 1550GW - 15 kN**			

EURO SHATAL
Simply built stronger

ASPHALT OR CONCRETE ROAD SAWS



CS 503 HD PETROL
HONDA Engine GX390
185 mm cutting depth



CS 503 HD ELECTRIC
Branded 10 HP Motor
185 mm cutting depth



CS 503 HD DIESEL
GREAVES 1510 ENGINE
185 mm cutting depth

PLATE COMPACTORS



PC 1114 PETROL
HONDA Engine
Only Forward



PC 1443E ELECTRIC
Branded 3 HP Motor
Only Forward



RP 4014 DIESEL
Kohler Engine
Reversible


CONCRETE VIBRATORS & NEEDLES



Diesel Concrete Vibrator
Greaves



Petrol Concrete Vibrator
Honda



Mechanical Needle
for all types of
concrete vibrators



Laydown Concrete Bucket



GF-32 D Bending Machine



GF 36 Bar Bender



GQ42 D - Bar Cutting Machine
Premium Hybrid Series



Mechanical Needle



Geo Textiles - All types
Non wooven, Geo Bags, LDPE, Drains



Scissor Lift



Conical Bucket
with Attachment



Submersible Pump



Wacker HMS Vibrator



Multi Functional Tower Hoist



Road Groove Cutter



Indian Plate Compactor - Diesel



Gensets / Digi Generator



Power Trowel Floater
with Honda Petrol Engine

OUR PRESTIGIOUS CLIENTELE

LARSEN & TOUBRO
DILIP BUILDCON LIMITED
GÜLERMAK
GHV WE BUILD VALUE
TATA TATA PROJECTS
IL&FS
BUILDCON LLP (Formerly known as Bhumi Developers)
MG Contractors Pvt. Ltd.
GANNON DUNKERLEY & CO., LTD.
TARMAT
JMC Projects (India) Ltd. A Kalpataru Group Enterprise
Shapoorji Pallonji
RKC
AFCONS AFCONS INFRASTRUCTURE LIMITED
patel Patel Infrastructure Ltd.
DRA
TRILOK INFRATECH FUTURE OF BHARAT
magicrete magic behind happy homes
KELLER
SHYAM METALICS ORE TO METAL

Riddhi Construction - Surat
Eagle Infra Ltd. - Mumbai
Shree Brahmani Construction Co. - Mehsana
Royal Infra - Surat
Jhajharia Nirman Ltd. - Bilaspur
A K Engg & Contractors - Jammu
DEC Infrastructure - Hyderabad
Capital Construction Pvt Ltd - Indore
Buildwell Engineers - Ankleshwar
Janak N Panchal (JNP Infra.) - Surat
Shripad Construction - Surat
Srinivas InfraBuild Pvt Ltd - Pune
Janak Infra - Surat
Tatvik Buildcon Pvt Ltd. - Mumbai
3G Infra - Surat

Vijay M Mistry Construction - Surat
H M Contractor - Navsari
H N Projects - Ahmedabad
Gunatit Infra - Surat
Ashray Infrastructure - Surat
Vimit Construction - Ankleshwar
Uday Infra - Dahej
Madhav Infra Projects Pvt Ltd
LCC Projects Pvt Ltd - Surat
S.J. Contracts Pvt Ltd. - Pune
Elimoc Infra / Rigid Construction - Ahmedabad
Konark Infra - Surat
Gruner Infrastructures Pvt Ltd
Think Tank Engg. Pvt Ltd - Pune
Silicon Precast - Chikhli

SMIIT CONSTECH

An ISO 9001 : 2015 Certified Company

Manufacturer & supplier of construction Machinery

Regi. Address:

7/1165 B2, Asarawala Estate, B/H Hamd Park, Nr. Lalmiyan Masjid, Rampura, Surat, GJ. - 395001

Surat Office & Godown Address

58 & 59, Ganesh Industrial Society, Shantinath Mill Gali, Nr. Navjivan Circle, U.M. Road, Surat, GJ. - 395017

Mumbai Address

305, Appolo Arcade, Above HP Gas Service, Parsi Panchayat Road, Andheri (E), Mumbai, MH. - 400069

Ahmedabad Address

IES - 215-216, Avdhesh Industrial Park, Kujad - Bavda Road, Bakrol, Bavda, Ahmedabad. - 433

For Inquiry: +91-93275-56036 / +91-95120-71506 / +91-94085-22856
For Spares & Service Support: +91-95120-61506
admin@smiitconstech.com / office@smiitconstech.com / sales@smiitconstech.com

Copying Of Catalogue & Images Is Strictyly Prohibited, Legal Action Can Be Taken
Technical Specifications & Actual Machine Design May Vary